

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO		
09/681,896	06/21/2001	Ignacio Larrain	112843-25	2983		
29157 7	7590 12/16/2004		EXAM	EXAMINER		
BELL, BOYD & LLOYD LLC			DESANTO, M	DESANTO, MATTHEW F		
P. O. BOX 1135 CHICAGO, IL 60690-1135			ART UNIT PAPER NUMB			
			3763			
			DATE MAILED: 12/16/200	DATE MAILED: 12/16/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

•					1				
		Application No.		Applicant(s)					
Office Action Summary		09/681,896	L	ARRAIN ET AL.	O'				
		Examiner	-	Art Unit					
		Matthew F DeSar		3763					
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover	sheet with the cor	respondence ad	dress				
A SH THE - Exte after - If the - If NC - Faill Any	IORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. Insions of time may be available under the provisions of 37 CFR 1.13 r SIX (6) MONTHS from the mailing date of this communication. In period for reply specified above is less than thirty (30) days, a reply of period for reply is specified above, the maximum statutory period ware to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing led patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, howe within the statutory mini will apply and will expire S cause the application to	ver, may a reply be timely imum of thirty (30) days w SIX (6) MONTHS from the become ABANDONED	r filed ill be considered timely mailing date of this co (35 U.S.C. § 133).					
Status									
1)🛛	Responsive to communication(s) filed on 20 Oc	ctober 2004.							
	This action is FINAL . 2b)⊠ This action is non-final.								
3)									
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.								
Disposit	ion of Claims								
5)□ 6)⊠ 7)□	 Claim(s) 1.2.7.8 and 14-20 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. Claim(s) is/are allowed. Claim(s) 1.2.7.8 and 14-20 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or election requirement. 								
Applicat	ion Papers								
9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.									
11)□	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority (under 35 U.S.C. § 119								
a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priorical application from the International Bureau See the attached detailed Office action for a list of	s have been rece s have been rece ity documents ha u (PCT Rule 17.2)	ived. ived in Application ve been received (a)).	ı No in this National	Stage				
Attachmen			· · · · · · · · · · · · · · · · · · ·	TO 440'					
2) Notice (3) Information	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) or No(s)/Mail Date	5) 🔲	Interview Summary (P Paper No(s)/Mail Date Notice of Informal Pate Other:	· ·)-152)				

Application/Control Number: 09/681,896 Page 2

Art Unit: 3763

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

1. Claims 1 – 2, 7, 19 and 20 rejected under 35 U.S.C. 102(b) as being anticipated by Brignola (USPN 4,244,378).

Brignola discloses a valve system with an inlet, and outlet, a flexible membrane, which deforms under pressure, and has a perforation for fluid to pass through, and has a cracking pressure approximately .10 bar to .20 bar, and wherein the valve includes a piston having a mushroom shaped head (90) and stem (92), (Figures 4, 5, 8, 9, 18, and entire reference).

2. Claims 1, 2, 7, 19, and 20 are rejected under 35 U.S.C. 102(b) as being anticipated by Werge et al. (USPN 5,535,785).

Werge et al. discloses a valve system with an inlet, and outlet, a flexible membrane, which deforms under pressure, and has a cracking pressure of .10 bar to .20 bar. and wherein the valve includes a piston having a mushroom shaped head.

(Figure 1, 1A, 1B, 3, 4 and entire reference)

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

4. Claims 1-2, 7, 8 and 14-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Werge et al. applied to the claims above, and further in view of Cordner, Jr. et al. (5244463) and Minshall et al. (5009654).

Werge et al. disclosed the claimed invention with a pump and a fluid being administered to a patient but failed to disclose the specific pump used and the specific fluid that will be passed through the valve.

Since Werge et al. disclosed that any pump and any fluid can be used in accordance with the valve, it would have been obvious to combine the references since it is well known in the art to use a rotary peristaltic pump with a check valve such as shown with Minshall et al. (Column 5, line 13-26) and using a pump with a check valve when delivering nutrition to a patient, such as shown with Cordner, Jr. et al. (Column 1, lines 54-64, and entire reference).

Therefore it would have been obvious to combine Werge et al. with Cordner, Jr. et al. and Minshall et al. to obtain the invention as specified in claims 1, 2, 7, 8, and 14-20.

Response to Arguments

- 5. Applicant's arguments filed 10/21/04 have been fully considered but are not persuasive.
- 6. The examiner has considered the prior art and the prior art still reads on the claims of the present application because the claims read "a piston member with a

Art Unit: 3763

single stem" which means the prior art needs to have at least one single stem. The prior art can have more then a single stem because the claim does not say only one stem. The examiner would also like to note that the claim uses the transitional phase "comprising." This transitional phase is an open-ended phase, meaning that more elements can be added to the claim. In this instance, the prior art can have more then one stem, as long as the prior art has a single stem. The use of the term "consisting" is a closed term, which limits the claim to just the limitations in the claim and nothing else, while comprising allows other limitations to be added along with the claimed limitations.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew F DeSanto whose telephone number is 1-703-305-3292. The examiner can normally be reached on Monday-Friday 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nick LUCCHESI can be reached on (703) 308-2698. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/681,896

Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 3763

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Page 5

I MUANT

Matthew DeSanto Art Unit 3763 December 13, 2004

NICHOLAS D. LUCCHESI
TECHNOLAS D. LUCCHESI

NICHOLAS D. LUCCHESI SUPEPVISORY PATENT EXAMINER MYCHALLI DY CENTER 3700